VOLUME 7 1985

SUBJECT INDEX

Acetaminophen, 193
  codeine
  hallucinations
  human studies
  psychosis
Acrylamide, 267
  discrimination behavior
  fixed-interval responding
  pigeons
  shape discrimination
  temporal discrimination
alpha-Adrenergic receptors, 421
  drinking
  eating
  xylene
Age-specific behaviors, 691
  dopaminergic activity
  psychopharmacological responsivity
  teratogen-induced alterations
Aggregation, 95
  behavioral neuroscience
  complexity
  locomotor activity
  open field
Aging
  birth weight, 263
  conduction velocity, 319
  fetal alcohol syndrome, 263
  neonatal mortality, 263
  peripheral nerve, 319
  temperature, 319
Agonist-antagonist, 443
  antinociception
  drug interactions
  histamine
  morphine
L-Alanine tert butyl ester, 275
  L-aspartic acid di-tert butyl ester
  convulsions
  L-glutamic acid di-tert butyl ester
  glutamic acid esters
Alcohol
  d-amphetamine, 461
  antidepressants, 139
  auditory startle reflex, 129
  development learning, 129
  diet, 129
  drug abuse, 113
  drug interactions, 139
  γ-glutamyl transpeptidase, 177
  glycoconjugates, 113
  hyperactivity, 461
  isoenzymes, 177
  neuroreflex tasks, 129
  open field, 129
  prenatal exposure, 461
  rabbits, 139
Alcohol dehydrogenase
  aldehyde dehydrogenase, 189
  brain enzymes, 155
  brain regions, 189
  chlorpromazine, 185
  ethanol, 185
  ethanol preference, 155
  experimental variable, 155
  liver, mouse, 189
  strain differences, 189
Alcohol preference, 125
  appetite
  early handling
  inbred mice
Alcoholism, 107
  cirrhosis
  hepatitis
  human studies
  radiologic evaluation
Aldehyde dehydrogenase, 189
  alcohol dehydrogenase
  brain regions
  liver, mouse
  strain differences
d-Amphetamine
  alcohol, 461
  behavioral teratology, 555
  chlorpromazine, 239
  developmental toxicology, 555
  dosage selection, 555
  hyperactivity, 461
  methylmercury, 555
  multiple FR-FI responding, 239
  preliminary research, 555
  prenatal effects, 555
  prenatal exposure, 461
  triethyltin, 239
Amygdaloid kindling, 233
  insecticides
  neurotoxicology
Animal models, 471
  fetal anticonvulsant syndrome
  prenatal drug exposure
Antidepressant drugs, 493
  monoamine-oxidase inhibitors
  prenatal administration
Antidepressants, 139
  alcohol
  drug interactions
  rabbits
Antinociception
  agonist-antagonist, 443
  cross tolerance, 251
  diisopropylphosphofluoridate, 251
  drug interactions, 443
  histamine, 443
  morphine, 251, 443
Apparatus
  automated recording devices, 71
  figure-8 maze, 547
  microcomputer, 387
  microprocessors, 547
  Optacon tactile stimulator, 305
Appetite, 125
  alcohol preference
  early handling
  inbred mice
L-Aspartic acid di-tert butyl ester, 275
  L-alanine tert butyl ester
  convulsions
  L-glutamic acid di-tert butyl ester
  glutamic acid esters
Assessment battery, 727
  behavioral teratology
  screening
Auditory function, 733
  behavioral toxicology
  reflex elicitation
  reflex modification
  sensory processes
  startle reaction
Auditory startle
  behavioral teratology, 753
  developmental toxicity, 759
  locomotor activity, 759
  open field, 753, 759
  prenatal d-amphetamine, 753
  prenatal methylmercury, 759
  tactile startle, 759
Auditory startle habituation, 547
  automated testing
  behavioral teratology
  discrimination learning
Auditory startle reflex, 129
  alcohol
  development learning
  diet
  neuroreflex tasks
  open field
Automated measurement systems, 79
  locomotor activity
Automated testing, 547
  auditory startle habituation
  behavioral teratology
  discrimination learning
Automation, 87
  locomotor activity
  open field
  stereotypy
Aversion, 243
  nociception
  physostigmine
  soman
Avoidance, 221
  exploration
  locomotor activity
  methylazoxymethanol
Avoidance learning, 57
  neuromotor development
  ornithine decarboxylase
  perinatal inhibition
  reproduction

Barbital dependence, 195
  cyclic GMP
  drug tolerance
Behavioral alterations, 767
  biochemical alterations

in utero exposure
methylmercury
Behavioral assessment, 329
movement
neurological disorders
toxicity
Behavioral consequences, 489
haloperidol
postnatal exposure
prenatal exposure
Behavioral neuroscience, 95
aggregation
complexity
locomotor activity
open field
Behavioral teratology
d-amphetamine, 555
assessment battery, 727
auditory startle, 753
auditory startle habituation, 547
automated testing, 547
brain development, 519
Cincinnati test battery, 625
development toxicity, 709, 717, 775
developmental toxicity testing, 643
developmental toxicology, 555, 745
discrimination learning, 547
dosage selection, 555
drug selection, 591
effects of early testing experience, 587
environmental chemicals, 647
ethanol, 779
experimental design, 579, 591
future research needs, 669
historical perspective, 537
hydrocephalus, 775
industrial view, 653
inhalation exposure, 779
interlaboratory reliability, 537
interlaboratory results, 591
Japanese guidelines, 647
methylazoxymethanol, 519
methylmercury, 555, 775
neurochemistry, 779
neurotoxicity, 519
open field, 753
pharmaceutical drugs, 647
preliminary research, 555
prenatal d-amphetamine, 709, 753
prenatal effects, 555
prenatal methylmercury, 717
n-propanol, 779
regulatory assessment, 669
reproductive toxicology, 745
sample size, 587
screening, 727
standardization, 653
standardized test protocol, 591
statistical approach, 587
surveys, 745
test comparisons, 625
test methods, 537
test reliability, 625
test sensitivity, 625
test validity, 625
testing procedures, 579
UK guidelines, 643
U.S. guidelines, 653
Behavioral teratology interpretation, 639
behavioral teratology methodology
dose-response relationships
Behavioral teratology methodology, 639
behavioral teratology interpretation
dose-response relationships
Behavioral toxicology
auditory function, 733
cognitive testing, 345
inhalant abuse, 143
locomotor activity, 143
neurotoxicants, 345
reflex elicitation, 733
reflex modification, 733
sensory processes, 733
startle reaction, 733
subclinical, 345
toluene, 143
^{3}H-5HT Binding, 439
endosulfan
fighting behavior
neonatal exposure
Biochemical alterations, 767
behavioral alterations
in utero exposure
methylmercury
Birth weight, 263
aging
fetal alcohol syndrome
neonatal mortality
Brain
anterior cortex, 767
cerebellum, 149, 155, 189, 195, 767
cerebral cortex, 189, 767
cerebral subcortex, 767
cortex, 149
dentate granule cells, 43
dentate gyrus, 1
diencephalon, 155
hippocampus, 43, 511, 775
hypothalamus, 199, 499
midbrain, 155, 189
neuraxis, 51
parietal cortex, 775
pons-medulla, 155
pyramidal cells, 43
septotemporal axis, 43
striatum, 189
Brain development, 519
behavioral teratology
methylazoxymethanol
neurotoxicity
Brain enzymes
alcohol dehydrogenase, 155
chlorpromazine, 181
ethanol preference, 155
experimental variable, 155
hypothermia, 181
pentobarbital, 181
Brain regions, 189
alcohol dehydrogenase
aldehyde dehydrogenase
liver, mouse
strain differences
Brain regions, human, 199
β_h-endorphin
high pressure liquid chromatography (HPLC)
radioimmunoassay
Cadmium, 19
locomotor activity
open field
Caffeine
human studies, 9
interuterine growth, 9
maternal exposure, caffeine, 9
neurobehavioral development, 453
open field, 453
prenatal treatment, 453
reflex development, 453
Central nervous system (CNS), 257
ethanol
human studies
test battery
Cerebral activity, 149
ethanol narcosis
locomotor activity
photoperiod
Chlordecone, 33
hypothalamic-pituitary-adrenal function
neonatal exposure
Chlorpromazine
alcohol dehydrogenase, 185
d-amphetamine, 239
brain enzymes, 181
ethanol, 185
hypothermia, 181
multiple FR-FI responding, 239
pentobarbital, 181
triethyltin, 239
Cincinnati test battery, 625
behavioral teratology
test comparisons
test reliability
test sensitivity
test validity
Cirrhosis, 107
alcoholism
hepatitis
human studies
radiologic evaluation
Codeine, 193
acetaminophen
hallucinations
human studies
psychosis
Cognitive, 415
computerized
performance
test battery
Cognitive abilities, 355
computerized assessment
learning
Cognitive dysfunction, 703
developmental assessment
learning processes
memory processes
neurotoxicant exposure
Cognitive testing
behavioral toxicology, 345
computers, 395
human studies, 395
neurotoxicants, 345
subclinical, 345
Collaborative Behavioral Teratology Study, 541
standardization
Complexity, 95
aggregation
behavioral neuroscience
locomotor activity
open field

Computerized assessment, 355
  cognitive abilities
  learning
Computerized testing, 283
  human studies
  neurotoxicity
Computers, 395
  cognitive testing
  human studies
Conditioned taste aversion, 449
  pralidoxione mesylate
  spontaneous locomotor activity
Conduction velocity, 319
  aging
  peripheral nerve
  temperature
Convulsions, 275
  L-alanine tert butyl ester
  L-aspartic acid di-tert butyl ester
  L-glutamic acid di-tert butyl ester
  glutamic acid esters
Cross tolerance, 251
  antinociception
  diisopropylphosphofluoridate
  morphine
Current perception, 305
  neuropathies
  sensory thresholds
  thermal perception
  vibration
Cyclic GMP, 195
  barbital dependence
  drug tolerance

Deltamethrin, 51
  neuraxis
  neurotoxicology
Dementia, 379
  human studies
  neurotoxicity testing
  psychometrics
Depression, 119
  electrical stimulation
  insomnia
  substance abuse
  withdrawal
Development learning, 129
  alcohol
  auditory startle reflex
  diet
  neuroreflex tasks
  open field
Developmental assessment, 703
  cognitive dysfunction
  learning processes
  memory processes
  neurotoxicant exposure
Developmental toxicity
  auditory startle, 759
  behavioral teratology, 709, 717, 775
  hydrocephalus, 775
  locomotor activity, 759
  methylmercury, 775
  open field, 759
  prenatal d-amphetamine, 709
  prenatal methylmercury, 717, 759
  tactile startle, 759
Developmental toxicity testing
  behavioral teratology, 643, 647
  environmental chemicals, 647
  Japanese guidelines, 647
  pharmaceutical drugs, 647
  UK guidelines, 643
Developmental toxicology
  d-amphetamine, 555
  behavioral teratology, 555, 745
  dosage selection, 555
  methylmercury, 555
  preliminary research, 555
  prenatal effects, 555
  reproductive toxicology, 745
  surveys, 745
Diagnostic, 171
  fetal alcohol syndrome
  γ-glutamyl transpeptidase
  isoenzymes
Diazepam, 483
  offspring functional changes
  prenatal exposure
Diet, 129
  alcohol
  auditory startle reflex
  development learning
  neuroreflex tasks
  open field
Diisopropylphosphofluoridate, 251
  antinociception
  cross tolerance
  morphine
Direct observation, 71
  locomotor activity
  motor asymmetries
Discrimination behavior, 267
  acrylamide
  fixed-interval responding
  pigeons
  shape discrimination
  temporal discrimination
Discrimination escape, 697
  learning
  liquid diets
  prenatal alcohol
  watermaze
Discrimination learning, 547
  auditory startle habituation
  automated testing
  behavioral teratology
Dopamine, 685
  in utero drug exposure
  long term behavioral effects
Dopamine receptors, 23
  locomotor activity
  stereotypy
  styrene
Dopaminergic activity, 691
  age-specific behaviors
  psychopharmacological responsivity
  teratogen-induced alterations
Dosage selection, 555
  d-amphetamine
  behavioral teratology
  developmental toxicology
  methylmercury
  preliminary research
  prenatal effects
Dose-response relationship, 639
  behavioral teratology interpretation
  behavioral teratology methodology
Drinking
  alpha-adrenergic receptors, 421
  food reinforcement, 433
  lever pressing, 433
  neuromorphology, 433
  triethyltin, 433
  wheel running, 433
  xylene, 421
Drug
  acetaminophen, 193
  acetylcholine, 691
  acrylamide, 267
  L-alanine tert butyl ester, 275
  alcohol, 113, 125, 129, 139, 155, 171, 177, 263, 697
  amitriptyline, 139
  d-amphetamine, 79, 239, 461, 709, 753
  d-amphetamine sulfate, 591
  apomorphine, 489
  L-aspartic acid di-tert butyl ester, 275
  bupropion, 139
  butorphanol, 443
  cadmium, 19
  caffeine, 9, 29, 453
  chlordecone, 33
  chlorimipramine, 493
  chlorpromazine, 181, 185, 239
  clonidine, 677
  codeine, 193
  cyclazocine, 443
  DDT, 233
  deltamethrin, 51
  desmethylimipramine, 493
  dextrorphan, 739
  diazepam, 483
  dieldrin, 233
  α-difluoromethylornithine, 57
  diisopropylphosphofluoridate, 251
  diphenylhydantoin, 471
  dopamine, 685, 691
  endosulfan, 439
  ethanol, 113, 149, 155, 185, 189, 257, 779
  fluvoxamine, 139
  L-glutamic acid di-tert butyl ester, 275
  haloperidol, 489
  gamma-hexachlorocyclohexane, 1
  imipramine, 493
  iproniazid, 493
  isocarboxazid, 493
  kanamycin, 733
  kepone, 233
  lead nitrate, 499
  levorphanol, 739
  lindane, 1, 233
  lithium carbonate, 39
  lithium chloride, 39
  manganese, 427
  mercury, 227, 345
  methylazoxymethanol, 221, 519
  alpha-methyl-dopa, 677
  methylmercuric chloride, 591
  methylmercury, 227, 717, 759, 767, 775
  morphine, 251, 443, 739
  nalbuphene, 443
  nitrogen dioxide, 785
  nitrous oxide, 739
  norepinephrine, 691
  ornithine decarboxylase, 57
  pentazocine, 443
  pentobarbital, 181
  phenobarbital, 471
  physostigmine, 243
  pimozide, 79
  pralidoxime mesylate, 449
  n-propanol, 779
  serotonin, 691

soman, 243
styrene, 23
tetrahydrocannabinol, 167
toluene, 143, 215
trazodone, 139
triethyltin, 239, 433
trimethadione, 471
trimethyltin, 43
tripelennamine, 443
viloxazine, 139
xylene, 421
Drug abuse, 113
alcohol
glycoconjugates
Drug interactions
agonist-antagonist, 443
alcohol, 139
antidepressants, 139
antinociception, 443
histamine, 443
morphine, 443
rabbits, 139
Drug tolerance
barbital dependence, 195
behavioral teratology, 591
cyclic GMP, 195
experimental design, 591
interlaboratory results, 591
standardized test protocol, 591

Early brain damage, 635
neonatal assessment
recovery of function
teratogenicity screening
Early handling, 125
alcohol preference
appetite
inbred mice
Eating
alpha-adrenergic receptors, 421
xylene, 421
Effects of early testing experience, 587
behavioral teratology
sample size
statistical approach
test reliability
test sensitivity
Electrical stimulation, 119
depression
insomnia
substance abuse
withdrawal
Electrocortical maturation, 215
evoked potentials
neonatal toluene exposure
β_h-Endorphin, 199
brain regions, human
high pressure liquid chromatography (HPLC)
radioimmunoassay
Endosulfan, 439
fighting behavior
^{3}H-5HT binding
neonatal exposure
Environmental chemicals, 647
behavioral teratology
developmental toxicity testing
Japanese guidelines
pharmaceutical drugs
Epidemiology
methodology
neurobehavioral evaluation system, 369
neurologic disorders, 293
neurotoxic disease, 293
Ethanol
alcohol dehydrogenase, 185
behavioral teratology, 779
central nervous system (CNS), 257
chlorpromazine, 185
human studies, 257
hypothermia, 161
inhalation exposure, 779
neurochemistry, 779
nucleic acid, 161
n-propanol, 779
protein synthesis, 161
test battery, 257
Ethanol narcosis, 149
cerebral activity
locomotor activity
photoperiod
Ethanol preference, 155
alcohol dehydrogenase
brain enzymes
experimental variable
Evoked potentials
electrocortical maturation, 215
human field testing, 399
human studies, 299
late positive component, 339
neonatal toluene exposure, 215
neurotoxicity, 299, 339
portable computer system, 399
visual somatosensory, 299
Experimental design
behavioral teratology, 579, 591
drug selection, 591
interlaboratory results, 591
standardized test protocol, 591
testing procedures, 579
Experimental variable, 155
alcohol dehydrogenase
brain enzymes
ethanol preference
Exploration, 221
avoidance
locomotor activity
methylazoxymethanol
Exposure scenarios, 351
neurotoxic exposure
suggested solutions

Fetal alcohol syndrome
aging, 263
birth weight, 263
diagnostic, 171
γ-glutamyl transpeptidase, 171
isoenzymes, 171
neonatal mortality, 263
Fetal anticonvulsant syndrome, 471
animal model
prenatal drug exposure
Fetal brain development, 677
monoamines
REM sleep
Field testing
human studies, 409
microcomputer, 387
neurotoxicity, 387, 409
sensory evoked potentials, 409
Fighting behavior, 439
endosulfan
^{3}H-5HT binding
neonatal exposure
Fixed-interval responding, 267
acrylamide
discrimination behavior
pigeons
shape discrimination
temporal discrimination
Food reinforcement, 433
drinking
lever pressing
neuromorphology
Future research needs, 669
behavioral teratology
regulatory assessment

Glutamic acid esters, 275
L-alanine tert butyl ester
L-aspartic acid di-tert butyl ester
convulsions
L-glutamic acid di-tert butyl ester
L-Glutamic acid di-tert butyl ester, 275
L-alanine tert butyl ester
L-aspartic acid di-tert butyl ester
convulsions
glutamic acid esters
γ-Glutamyl transpeptidase
alcohol, 177
diagnostic, 171
fetal alcohol syndrome, 171
inbred mice, 167
isoenzymes, 171, 177
pharmacogenetic, 167
tetrahydrocannabinol, 167
Glycoconjugates, 113
alcohol
drug abuse

Hallucinations, 193
acetaminophen
codeine
human studies
psychosis
Haloperidol, 489
behavioral consequences
postnatal exposure
prenatal exposure
Hepatitis, 107
alcoholism
cirrhosis
human studies
radiologic evaluation
High pressure liquid chromatography (HPLC), 199
brain regions, human
β_h-endorphin
radioimmunoassay
Hippocampal damage, 43
lesions, hippocampus
septotemporal axis
trimethyltin
Histamine, 443
agonist-antagonist
antinociception
drug interactions
morphine

Historical perspective, 537
behavioral teratology
interlaboratory reliability
test methods
Human field testing, 399
evoked potentials
portable computer system
Human studies
acetaminophen, 193
alcoholism, 107
caffeine, 9
central nervous system (CNS), 257
cirrhosis, 107
codeine, 193
cognitive testing, 395
computerized testing, 283
computers, 395
dementia, 379
ethanol, 257
evoked potentials, 299
field testing, 409
hallucinations, 193
hepatitis, 107
interuterine growth, 9
maternal exposure, caffeine, 9
neurotoxicity, 283, 299, 309, 409
neurotoxicity testing, 379
psychophysics, 309
psychosis, 193
radiologic evaluation, 107
sensory evoked potentials, 409
test battery, 257
vibration sensitivity, 309
visual somatosensory, 299
Hydrocephalus, 775
behavioral teratology
developmental toxicity
methylmercury
Hyperactivity, 461
alcohol
d-amphetamine
prenatal exposure
Hypothalamic-pituitary-adrenal function, 33
chlordecone
neonatal exposure
Hypothermia
brain enzymes, 181
chlorpromazine, 181
ethanol, 161
nucleic acid, 161
pentobarbital, 181
protein synthesis, 161

Inbred mice
alcohol, 125
appetite, 125
early handling, 125
γ-glutamyl transpeptidase, 167
pharmacogenetic, 167
tetrahydrocannabinol, 167
Industrial views, 653
behavioral teratology
standardization
U.S. guidelines
Inhalant abuse, 143
behavioral toxicology
locomotor activity
toluene
Inhalation exposure, 779
behavioral teratology
ethanol
neurochemistry
n-propranol
Insecticides, 233
amygdaloid kindling
neurotoxicology
Isoenzymes
alcohol, 177
diagnostic, 171
fetal alcohol syndrome, 171
γ-glutamyl transpeptidase, 171, 177
Insomnia, 119
depression
electrical stimulation
substance abuse
withdrawal
Intergenerational effects, 739
parental exposure
progeny development
xenobiotic agents
Interlaboratory reliability, 537
behavioral teratology
historical perspective
test methods
Interlaboratory results, 591
behavioral teratology
drug selection
experimental design
standardized test protocol
Interuterine growth, 9
caffeine
human studies
maternal exposure, caffeine
In utero drug exposure, 685
dopamine
long term behavioral effects
In utero exposure
behavioral alterations, 767
biochemical alterations, 767
locomotor activity, 227
methylmercury, 227, 767
pathology, 227

Japanese guidelines, 647
behavioral teratology
developmental toxicity testing
environmental chemicals
pharmaceutical drugs

Late positive component, 339
evoked potentials
neurotoxicity
Lead intoxication, 499
neurochemical abnormalities
postnatal exposure
prenatal exposure
Learning
cognitive abilities, 355
computerized assessment, 355
discrimination escape, 697
liquid diets, 697
prenatal alcohol, 697
watermaze, 697
Learning processes, 703
cognitive dysfunction
developmental assessment
memory processes
neurotoxicant exposure
Lesions, hippocampus, 43
hippocampal damage
septotemporal axis
trimethyltin
Lever pressing, 433
drinking
food reinforcement
lever pressing
neuromorphology
Liquid diets, 697
discrimination escape.
learning
prenatal alcohol
watermaze
Lithium, 39
multiple schedule
neurotoxicology
operant behavior
Liver, mouse, 189
alcohol dehydrogenase
aldehyde dehydrogenase
brain regions
strain differences
Locomotor activity
aggregation, 95
auditory startle, 759
automated measurement systems, 79
automation, 87
avoidance, 221
behavioral neuroscience, 95
behavioral toxicology, 143
cadmium, 19
cerebral activity, 149
complexity, 95
developmental toxicity, 759
direct observation, 71
dopamine receptors, 23
ethanol narcosis, 149
exploration, 221
inhalant abuse, 143
in utero exposure, 227
methylazoxymethanol, 221
methylmercury, 227
motor asymmetries, 71
open field, 19, 87, 95, 759
pathology, 227
photoperiod, 149
prenatal methylmercury, 759
stereotypy, 23, 87
styrene, 23
tactile startle, 759
toluene, 143
Long term behavioral effects, 685
dopamine
in utero drug exposure
Low protein diet, 427
manganese neurotoxicity
neurotransmitters

Manganese neurotoxicity, 427
low protein diet
neurotransmitters
Maternal exposure, caffeine, 9
caffeine
human studies
interuterine growth
Maternal hormone mediation, 511
milk corticosterone
perinatal glucocortical exposure
Memory processes, 703
cognitive dysfunction
developmental assessment

learning processes
neurotoxicant exposure
Method
angiography, 107
anticipation timing test, 257
automated measurement systems, 79
computed tomography, 107
digit span memory test, 257
direct observations, 71
flicker fusion test, 257
high pressure liquid chromatography (HPLC), 199
medical resonance imaging, 107
paired stimulus technique, 325
radioimmunoassay, 199
radionuclide imaging, 107
simple reaction time test, 257
tachistoscopic perception test, 257
ultrasonography, 107
Methodology, 369
epidemiology
neurobehavioral evaluation system
Methylazoxymethanol
avoidance, 221
behavioral teratology, 519
brain development, 519
exploration, 221
locomotor activity, 221
neurotoxicity, 519
Methylmercury
d-amphetamine, 555
behavioral alterations, 767
behavioral teratology, 555, 775
biochemical alterations, 767
developmental toxicity, 775
developmental toxicology, 555
dosage selection, 555
hydrocephalus, 775
in utero exposure, 227, 767
locomotor activity, 227
pathology, 227
preliminary research, 555
prenatal effects, 555
Microcomputer, 387
field testing
neurotoxicity
Milk corticosterone, 511
maternal hormone mediation
perinatal glucocorticoid exposure
Monoamine-oxidase inhibitors, 493
antidepressant drugs
prenatal administration
Monoamines, 677
fetal brain development
REM sleep
Morphine
agonist-antagonist, 443
antinociception, 251, 443
cross tolerance, 251
diisopropylphosphofluoridate, 251
drug interactions, 443
histamine, 443
Motor asymmetries, 71
direct observation
locomotor activity
Movement, 329
behavioral assessment
neurological disorders
toxicity
Multiple FR-FI responding, 239
d-amphetamine
chlorpromazine
triethyltin
Multiple schedule, 39
lithium
neurotoxicology
operant behavior

Neonatal assessment, 635
early brain damage
recovery of function
teratogenicity screening
Neonatal exposure
^{3}H-5HT binding, 439
chlordecone, 33
endosulfan, 439
fighting behavior, 439
hypothalamic-pituitary-exposure function, 33
Neonatal mortality, 263
aging
birth weight
fetal alcohol syndrome
Neonatal toluene exposure, 215
electrocortical maturation
evoked potentials
Neuraxis, 51
deltamethrin
neurotoxicology
Neurobehavioral development, 453
caffeine
open field
perinatal treatment
reflex development
Neurobehavioral evaluation system, 369
epidemiology
methodology
Neurobehavioral testing, 359
worksite research
Neurochemical abnormalities, 499
lead intoxication
postnatal exposure
prenatal exposure
Neurochemistry, 779
behavioral teratology
ethanol
inhalation
n-propanol
Neuroreflex tasks, 129
alcohol
auditory startle reflex
development learning
diet
open field
Neurologic disorders, 293
epidemiology
neurotoxic disease
Neurological disorders, 329
behavioral assessment
movement
toxicity
Neuromorphology, 433
drinking
food reinforcement
lever pressing
triethyltin
wheel running
Neuromotor development, 57
avoidance learning
ornithine decarboxylase
perinatal inhibition
reproduction
Neuropathies, 305
current perception
sensory thresholds
thermal perception
vibration
Neurotoxic disease, 293
epidemiology
neurologic disorders
Neurotoxic exposure, 351
exposure scenarios
suggested solutions
Neurotoxicant exposure, 703
cognitive dysfunction
developmental assessment
learning processes
memory processes
Neurotoxicants, 345
behavioral toxicology
cognitive testing
subclinical
Neurotoxicity
behavioral teratology, 519
brain development, 519
computerized testing, 283
evoked potentials, 299, 339
field testing, 387, 409
human studies, 283, 299, 309, 409
late positive component, 339
methylazoxymethanol, 519
microcomputer, 387
paired stimulus technique, 325
peripheral nerve function, 325
psychophysics, 309
sensory evoked potentials, 409
vibration sensitivity, 309
visual somatosensory, 299
Neurotoxicity testing, 379
dementia
human studies
psychometrics
Neurotoxicology
amygdaloid kindling, 233
deltamethrin, 51
insecticides, 233
lithium, 39
multiple schedule, 39
neuraxis, 51
operant behavior, 39
Neurotransmitters, 427
low protein diet
manganese neurotoxicity
Nitrogen dioxide, 785
postnatal behavior
prenatal exposure
Nociception, 243
aversion
physostigmine
soman
Nucleic acid, 161
ethanol
hypothermia
protein synthesis

Offspring functional changes, 483
diazepam
prenatal exposure
Open field
aggregation, 95
alcohol, 129
auditory startle, 753, 759
auditory startle reflex, 129
automation, 87
behavioral neuroscience, 95

behavioral teratology, 753
cadmium, 19
caffeine, 453
complexity, 95
development learning, 129
developmental toxicity, 759
diet, 129
locomotor activity, 19, 87, 95, 759
neurobehavioral development, 453
neuroreflex tasks, 129
perinatal treatment, 453
prenatal d-amphetamine, 753
prenatal exposure, caffeine, 29
prenatal methylmercury, 759
reflex treatment, 453
stereotypy, 87
stress, 29
tactile startle, 759
ulcer, 29
Operant behavior, 39
lithium
multiple schedule
neurotoxicology
Ornithine decarboxylase, 57
avoidance learning
neuromotor development
perinatal inhibition
reproduction

Paired stimulus technique, 325
neurotoxicity
peripheral nerve function
Parental exposure, 739
intergenerational effects
progeny development
xenobiotic agents
Pathology, 227
in utero exposure
locomotor activity
methylmercury
Pentobarbital, 181
brain enzymes
chlorpromazine
hypothermia
Peptide
β_h-endorphin, 199
alpha-methyl-p-tyrosine, 461
Perforant path stimulation, 1
lindane
recurrent collateral inhibition
transmitter release
Performance, 415
cognitive
computerized
test battery
Perinatal glucocorticoid exposure, 511
maternal hormone mediation
milk corticosterone
Perinatal inhibition, 57
avoidance learning
neuromotor development
ornithine decarboxylase
reproduction
Perinatal treatment, 453
caffeine
neurobehavioral development
open field
reflex development
Peripheral nerve, 319
aging
conduction velocity
temperature
Peripheral nerve function, 325
neurotoxicity
paired stimulus technique
Pharmaceutical drugs, 647
behavioral teratology
developmental toxicity testing
environmental chemicals
Japanese guidelines
Pharmacogenetic, 167
γ-glutamyl transpeptidase
inbred mice
tetrahydrocannabinol
Photoperiod, 149
cerebral activity
ethanol narcosis
locomotor activity
Physostigmine, 243
aversion
nociception
soman
Pigeons, 267
acrylamide
discrimination behavior
fixed-interval responding
shape discrimination
temporal discrimination
Portable computer systems, 399
evoked field testing
human field testing
Postnatal behavior, 785
nitrogen dioxide
prenatal exposure
Postnatal exposure
behavioral consequences, 489
haloperidol, 489
lead intoxication, 499
neurochemical abnormalities, 499
prenatal exposure, 489, 499
Pralidoxime mesylate, 449
conditioned taste aversion
Preliminary research, 555
d-amphetamine
behavioral teratology
developmental toxicology
dosage selection
methylmercury
prenatal effects
Prenatal administration, 493
antidepressant drugs
monoamine-oxidase inhibitors
Prenatal alcohol, 697
discrimination escape
learning
liquid diets
watermaze
Prenatal d-amphetamine
auditory startle, 753
behavioral teratology, 709, 753
developmental toxicity, 709
open field, 753
Prenatal drug exposure, 471
animal model
fetal anticonvulsant syndrome
Prenatal effects, 555
d-amphetamine
behavioral teratology
developmental toxicology
dosage selection
methylmercury
preliminary research
Prenatal exposure
alcohol, 461
d-amphetamine, 461
behavioral consequences, 489
diazepam, 483
haloperidol, 489
hyperactivity, 461
lead intoxication, 499
neurochemical abnormalities, 499
nitrogen dioxide, 785
offspring functional changes, 483
postnatal behavior, 785
postnatal exposure, 489, 499
Prenatal exposure, caffeine, 29
open field
stress
ulcer
Prenatal methylmercury
auditory startle, 759
behavioral teratology, 717
developmental toxicity, 717, 759
locomotor activity, 759
open field, 759
tactile startle, 759
Progeny development, 739
intergenerational effects
parental exposure
xenobiotic agents
n-Propanol, 779
behavioral teratology
ethanol
inhalation exposure
neurochemistry
Protein synthesis, 161
ethanol
hypothermia
nucleic acid
Psychometrics, 379
dementia
human studies
neurotoxicity testing
Psychopharmacological responsivity, 691
age-specific behaviors
dopaminergic activity
teratogen-induced alterations
Psychophysics, 309
human studies
neurotoxicity
vibration sensitivity
Psychosis, 193
acetaminophen
codeine
hallucinations
human studies

Rabbits, 139
alcohol
antidepressants
drug interactions
Radioimmunoassay, 199
brain regions, human
β_h-endorphin
high pressure liquid chromatography (HPLC)
Radiologic evaluation, 107
alcoholism
cirrhosis
hepatitis
human studies
Recovery of function, 635
early brain damage
neonatal assessment
teratogenicity screening

Recurrent collateral inhibition, 1
lindane
perforant path stimulation
transmitter release
Reflex development, 453
caffeine
neurobehavioral development
open field
perinatal treatment
Reflex elicitation, 733
auditory function
behavioral toxicology
reflex modification
sensory processes
startle reaction
Reflex modification, 733
auditory function
behavioral toxicology
reflex elicitation
sensory processes
startle reaction
Regulatory assessment, 669
behavioral teratology
future research needs
REM sleep, 677
fetal brain development
monoamines
Reproduction, 57
avoidance learning
neuromotor development
ornithine decarboxylase
perinatal inhibition
Reproductive toxicology, 745
behavioral teratology
developmental toxicology
surveys

Sample size, 587
behavioral teratology
effects of early testing experience
statistical approach
test reliability
test sensitivity
Screening, 727
assessment battery
behavioral teratology
Sensory evoked potentials, 409
field testing
human studies
neurotoxicity
Sensory processes, 733
auditory function
behavioral toxicology
reflex elicitation
reflex modification
startle reaction
Sensory thresholds, 305
current perception
neuropathies
thermal perception
vibration
Septotemporal axis, 43
hippocampal damage
lesions, hippocampus
trimethyltin
Shape discrimination, 267
acrylamide
discrimination behavior
fixed-interval responding
pigeons
temporal discrimination
Soman, 243
aversion
nociception
physostigmine
Spontaneous locomotor activity, 449
conditioned taste aversion
pralidoxime mesylate
Standardization
behavioral teratology, 653
Collaborative Behavioral Teratology Study, 541
industrial views, 653
U.S. guidelines, 653
Standardized test protocol, 591
behavioral teratology
drug selection
experimental design
interlaboratory results
Startle reaction, 733
auditory function
behavioral toxicology
reflex elicitation
reflex modification
sensory processes
Statistical approach, 587
behavioral teratology
effects of early testing experience
sample size
test reliability
test sensitivity
Stereotypy
automation, 87
dopamine receptors, 23
locomotor activity, 23, 87
open field, 87
styrene, 23
Strain differences, 189
alcohol dehydrogenase
aldehyde dehydrogenase
brain regions
liver, mouse
Stress, 29
open field
prenatal exposure, caffeine
ulcer
Styrene, 23
dopamine receptors
locomotor activity
stereotypy
Subclinical, 345
behavioral toxicology
cognitive testing
neurotoxicants
Substance abuse, 119
depression
electrical stimulation
insomnia
withdrawal
Suggested solutions, 351
exposure scenarios
neurotoxic exposure
Surveys, 745
behavioral teratology
developmental toxicology
reproductive toxicology

Tactile startle, 759
auditory startle
developmental toxicity
locomotor activity
open field
prenatal methylmercury
Temporal discrimination, 267
acrylamide
discrimination behavior
fixed-interval responding
pigeons
shape discrimination
Temperature, 319
aging
conduction velocity
peripheral nerve
Teratogen-induced alterations, 691
age-specific behaviors
dopaminergic activity
psychopharmacological responsivity
Teratogenicity screening, 635
early brain damage
neonatal assessment
recovery of function
Test battery
automotive, 415
central nervous system (CNS), 257
cognitive, 415
computerized, 415
ethanol, 257
human studies, 257
performance, 415
psychological, 415
Test comparisons, 625
behavioral teratology
Cincinnati test battery
test reliability
test sensitivity
test validity
Test methods, 537
behavioral teratology
historical perspectives
interlaboratory reliability
Test reliability
behavioral teratology, 587, 625
Cincinnati test battery, 625
effects of early testing experience, 587
sample size, 587
statistical approach, 587
test comparisons, 625
test sensitivity, 587, 625
test validity, 625
Test sensitivity, 625
behavioral teratology, 587, 625
Cincinnati test battery, 625
effects of early testing experience, 587
sample size, 587
statistical approach, 587
test comparisons, 625
test reliability, 587, 625
test validity, 625
Test validity, 625
behavioral teratology
Cincinnati test battery
test comparisons
test reliability
test sensitivity
Testing procedures, 579
behavioral teratology
experimental design
Tetrahydrocannabinol, 167
γ-glutamyl transpeptidase
inbred mice
pharmacogenetic
Thermal perception, 305
current perception

neuropathies
sensory thresholds
vibration
Toluene, 143
behavioral toxicology
inhalant abuse
locomotor activity
Toxicity, 329
behavioral assessment
movement
neurological disorders
Transmitter release, 1
lindane
perforant path stimulation
recurrent collateral inhibition
Triethyltin
d-amphetamine, 239
chlorpromazine, 239
drinking, 433
food reinforcement, 433
lever pressing, 433
multiple FR-FI responding, 239
neuromorphology, 433
wheel running, 433
Trimethyltin, 43
hippocampal damage
lesions, hippocampus
septotemporal axis
UK guidelines, 643
behavioral teratology
developmental toxicity testing
Ulcer, 29
open field
prenatal exposure, caffeine
stress
U.S. guidelines, 653
behavioral teratology
industrial view
standardization
Vibration, 305
current perception
neuropathies
sensory thresholds
thermal perception
Vibration sensitivity, 309
human studies
neurotoxicity
psychophysics
Visual somatosensory, 299
evoked potentials
human studies
neurotoxicity
Watermaze, 697
discrimination escape
learning
liquid diets
prenatal alcohol
Wheel running, 433
drinking
food reinforcement
lever pressing
neuromorphology
triethyltin
Withdrawal, 119
depression
electrical stimulation
insomnia
substance abuse
Worksite research, 359
neurobehavioral testing
Xenobiotic agents, 739
intergenerational effects
parental exposure
progeny development
Xylene, 421
alpha-adrenergic receptors
drinking
eating

AUTHOR INDEX

Abbracchio, M. P., 453
Abel, E. L., 263
Adams, J., 547, 555, 579, 587, 591, 669, 753
Agrawal, A. K., 23, 439
Albertson, T. E., 1, 233
Ali, M. M., 427
Allen, G. L., 355
Alloro, M. C., 493
Anand, M., 439
Andrew, F., 745
Angelucci, L., 511
Anger, W. K., 39, 289, 359
Arezzo, J. C., 299, 351

Baker, E. L., 293, 369
Baker, S. J., 257
Balabaeva, L., 785
Balaz-Hannigan, M. A., 635
Baraldi, M., 499
Barlow, S. M., 643
Baumann, S., 409
Beaton, J. M., 449
Beninger, R. J., 79
Bernardi, M., 57
Bertolini, A., 57
Blackwell, D. E., 107
Bleecker, M. L., 305
Bond, N. W., 461
Borella, P., 499
Branconnier, R. J., 379
Brennan, N. E., 299
Brenner, E., 677
Brightwell, W. S., 779
Brodie, M. E., 51
Brown, D. R., 767
Brunello, N., 489
Buchthal, F., 319
Buelke-Sam, J., 541, 547, 555, 579, 587, 591, 669, 753
Burg, J. R., 779
Butcher, R. E., 537, 591, 659, 759
Buterbaugh, G. B., 519

Cagiano, R., 489
Callahan, B. G., 767
Cardillo, A., 511
Carroll, J. B., 387
Caselgrandi, E., 499
Cattabeni, F., 453
Chandra, S. V., 427
Chang, L. W., 43, 239
Chester, A., 745
Chimento, T. C., 325
Chrislip, D. W., 39
Christian, M. S., 697
Chrzan, G. J., 257
Coen, E., 453
Cogan, C. C., 129
Cogan, D. C., 129
Cohen, L. E., 129
Colburn, T. R., 329
Condie, L. W., Jr., 727
Continella, G., 493
Cooper, T. A., 79
Costa, L. G., 251
Crema, F., 139
Crump, S., 275
Cuomo, V., 489

Daniel, S. A., 267
Dintcheff, B., 263
Di Sciullo, A., 511
Donchin, E. 399
Drago, F., 493
Dyer, R. S., 43

Eccles, C. U., 519
Eckerman, D. A., 283, 351, 387
Enters, E. K., 691
Evans, H. L., 267

Falk, H., 291
Farrell, B., 19
Felton, R. P., 587
Fidler, A. T., 369
Fite, K., 759
Foletta, D., 199
Foote, B., 399
Foree, D., 387
Formigli, L., 139
Foss, J. A., 733
Freed, W. J., 275
Fried, P. A., 9
Friedler, G., 739

Gause, E. M., 143
Geller, I., 143
Genedani, S., 57
Genser, S. G., 415
Gerber, G. J., 433
Geyer, M. A., 591, 661, 759
Ghoz, E. H., 275
Glavin, G. B., 29
Goldstine, R., 125
Gough, B., 753
Gullion, C. M., 387
Gurley, M., 125

Haddad, R. K., 221
Hagenmeyer, S. H., 87
Hallesy, D., 745
Hanig, J. P., 443
Hannigan, J. H., 635
Harbin, T. J., 339
Hartmann, H., 199
Heard, G. S., 325
Heffley, E., 399
Hegge, F. W., 415
Henault, M. A., 87
Hirsch, G., 107
Hoberman, A. M., 697
Holson, J. F., 591
Holson, R., 753
Hong, J. S., 33
Hui, F. W., 443
Hutchings, D. E., 639

Inouye, M., 227
Irons, R., 395
Ison, J. R., 483, 733

Jarzembski, W. B., 119
Jewett, D. L., 325
Johnson, J. H., 33
Jones, B., 125
Jones, B. C., 167
Jones, J. R., 129
Joy, R. M., 1, 233

Kabat, K., 519
Kajiwara, Y., 227
Kallman, M. J., 727
Kellogg, C. K., 483
Kimmel, C. A., 541, 547, 555, 579, 587, 591, 669, 753
King, J. M., 243
Kolb, B., 71
Korol, B. A., 591

Krarup, C., 319
Krueger, H., 29
Kutscher, C. L., 591, 663, 775
Kutscher, C. S., 775
Kutscher, N. L., 775

Lane, S. J., 195
Lansman, M., 387
Lee, M. H., 221
Leo, J. S., 107
Letz, R. E., 369
Linville, D. G., 691
Liu, W.-F., 449
Lochry, E. E., 697
Lombardelli, G., 453
Long, E. R., 387
Lorenzana-Jimenéz, M., 215
Lyndon, M., 369

McMillan, D. E., 239

Maccari, S., 511
MacPhail, R. C., 527
Mactutus, C. F., 703
Malek-Ahmadi, P., 193
Mandal, S. K., 427
Manzo, L., 139
Marchioni, E., 139
Maurelli, M., 139
Maurissen, J. P. J., 309
Mazmanian, D. S., 95
Mazurski, E. J., 79
Melia, J., 767
Mendez, V., 143
Messiha, F. S., 149, 155, 181, 185, 189, 199
Middaugh, L. D., 685
Miller, D. R., 555
Miller, R. K., 483
Mirmiran, M., 677
Morgan, B. B., Jr., 355
Morgan, N. T., 329
Morgan, W. W., 195
Mui, T., 399
Mulligan, T., 767
Murao, K., 227
Murphy, S. D., 251
Murray, R. W., 177
Murthy, R. C., 427

Nawiesniak, E., 433
Nelson, B. K., 579, 663, 779
Nelson, C. J., 555, 579, 587, 591, 659
Nikiforov, B., 785
Nolen, G. A., 653

Oglesby, D. M., 547
O'Shaughnessy, D., 433
Ossenkopp, K.-P., 95
Otto, D. A., 283, 351, 409
Ozemek, H. S., 547

Park, C. N., 257
Pasi, A., 199
Patacchioli, F. R., 511
Peele, D. B., 527
Penetar, D. M., 243
Peng, J. J. S., 107
Perucca, E., 139
Peruzzi, G., 453
Petraglia, F., 499
Pihl, R. O., 19
Plantamura, D., 369
Plonsky, M., 221
Posteraro, R. H., 107

Racagni, G., 489
Ramsey, M. L., 193
Rank, J., 421
Rastogi, S. K., 239
Rath, J., 547
Ratte, S., 433
Rawat, A. K., 161
Reiter, L. W., 287, 579, 661
Riley, E. P., 635
Renna, G., 489
Reyes, E., 125, 167, 171, 177
Riley, E. P., 221
Robinson, G., 409
Romano, J. A., 243
Rose, P., 395
Rosecrans, J. A., 33
Rossi, T., 499

Salas, M., 215
Sanberg, P. R., 87
Sanes, J. N., 329
Saunders, J. H., 257
Savoldi, F., 139
Scaccianoce, S., 511
Scapagnini, U., 493
Schatz, R. A., 767
Schaumburg, H. H., 351
Schilling, R., 291
Sembrat, M., 775
Serinelli, A., 489
Seth, P. K., 23, 439
Shalat, S., 369
Shetlar, M. R., 113
Simmons, R. D., 483
Simson, R., 299
Sing, H. C., 415
Smith, M. J., 19
Smith, P. J., 345
Smith, R. J., 39
Sobotka, T. J., 579, 665
Spear, L. P., 691
Squibb, R. E., Jr., 33
Srivastava, S. P., 23
Stark, L. G., 233
St. Omer, V., 591
Sun, C.-L. J., 443
Swaab, D. F., 677

Tabacova, S., 785
Tanimura, T., 647
Tartara, A., 139
Thorne, D. R., 415
Tilson, H. A., 33, 579, 667

Van Der Gugten, J., 677
Vetrano, K., 767
Vorhees, C. V., 471, 591, 625, 665, 709, 717

Wadman, P., 767
Waller, M. B., 387
Wallsten, T. S., 387
Watkinson, B., 9
Wayner, M. J., 591
Wecker, J. R., 733
Wenger, G. R., 239
Whishaw, I. Q., 71
Wootten, V., 767
Wright, D. C., 591, 667

Zaidi, N. F., 23, 439
Zanoli, P., 499
Zemp, J. W., 685